Pure Variants 7.3.2.685 Connector Requirements

Artop	Supported Artop versions : • 4.0.0 • 4.4.1 • 4.5.0 - 4.18.0
AUTOSAR	The Connector for AUTOSAR user interface integration requires the installation of the Pure Variants Connector for Artop.
Azure DevOps	Supported Azure DevOps versions: Azure DevOps Server 2020 The following software is required on the client side: • At least Java Runtime Environment 17 is required • Pure Variants Desktop hub (delivered with Pure Variants enterprise) The Pure Variants Connector for Azure DevOps requires a Windows OS.
Capella	Supported Capella versions: • Capella or Capella Studio 5.0.0 - 7.0.1 In Capella, the Pure Variants Connector for EMF Feature Mapping needs to be installed.
Codebeamer	Supported codebeamer versions: 2.2.0.0 - 2.2.1.4., 3.0.0.0 - 3.0.0.6, 3.1.0.0 - 3.3.0.0 Please note that a Pure Variants-specific server component needs to be installed.
EMF Feature Mapping	Supported EMF and GMF framework versions: EMF: Eclipse Modeling Framework SDK since Version 2.5.0. See http://www.eclipse.org/modeling/emf/. GMF: Graphical Modeling Framework since Version 1.2.1. See http://www.eclipse.org/modeling/gmp/.
Enterprise Architect	Supported Enterprise Architect versions: • Enterprise Architect 12 - 17.1 Note: Visualizations (see the section called Visualizing Variability Information) are not supported in Enterprise Architect 10, due to a bug in this Enterprise Architect version.

IBM Engineering Requirements Management - DOORS Next	Supported IBM Engineering Requirements Management - DOORS Next versions: • IBM Rational DOORS NG 7.0.0 - 7.2.0 One of the following software is required for the Doors NEXT integration: • Pure Variants Desktop hub (delivered with Pure Variants enterprise) • Pure Variants Web hub (delivered with Pure Variants Web Components)
IBM Engineering Requirements Management DOORS	Supported IBM Engineering Requirements Management DOORS versions: • IBM Rational DOORS 9.6.0.0 - 9.7.2.11 • Supports the 32 bit and the 64 bit client
IBM Engineering Systems Design Rhapsody	Supported Engineering Systems Design Rhapsody versions: • IBM Rational Rhapsody 9.0.0 - 10.0.3 IBM Rational Model Manager: • For the Jazz server, Engineering Rhapsody Model Manager (Architecture Management) 7.0.0 - 7.2.0 is required. • On the client machine, IBM EWM client 7.0.0 - 7.2.0 is required with the Rhapsody Integration installed. For details, see Pure Variants setup guide under section Connector for Engineering Systems Design Rhapsody.
IBM Engineering Test Mangement	Supported IBM Engineering Test Mangement versions: • IBM Engineering Test Manager 7.0.0 - 7.2.0
Jama Connect	Supported Jama Connect versions: • Jama Connect 9.0 - 9.28.3
Jira	Supported Jira versions: • Mylyn 4.2.0 Eclipse Plug-in • Pure Variants Connector for Mylyn is required. Please always use the same version as the Pure Variants Connector for Jira.
MagicDraw / Catia Magic / Catia No Magic by Dassault Systemes	Supported MagicDraw / Catia Magic / Catia No Magic by Dassault Systemes versions: • No Magic 2021x - No Magic 2026x • Inside Catia Magic - No Magic the 'Product Line Engineering' plugin as well as the 'Pure Variants Integration' needs to be installed.
MATLAB/Simulink by MathWorks	Supported MATLAB/Simulink by MathWorks versions: • MATLAB/Simulink 2006b - 2024b • TargetLink 2.x - 3.x

Microsoft Office (Word & Excel)	Supported Microsoft Office (Word & Excel) versions: • Office 2016 - 2021 and 365 (either 32bit or 64bit version) The following features have to be installed with Microsoft Office, if using Microsoft Office Integration (except for Office 365, 2019, 2021):: • .NET Programmability Support For details see section Pure Variants Integration for Microsoft Office in the Pure Variants Setup Guide. The Pure Variants Connector for Microsoft Office requires a Windows OS.
Polarion	Supported Polarion versions: 21r2 - 2606 Please note that a Pure Variants-specific server component needs to be installed.
Polarion Variants	Supported Polarion Variants versions: 2017.3 Please note that a Pure Variants-specific server component needs to be installed.
PTC RV&S (Integrity)	Supported PTC RV&S (Integrity) versions: • PTC RV&S (Integrity) 13.2 - 13.5
Zuken CR-8000	Supported Zuken CR-8000 versions: • Zuken CR-8000 Design Gateway 2018

© 2026, PTC Inc. All rights reserved. Information described herein is furnished for informational use only, is subject to change without notice, and should not be taken as a guarantee, commitment, condition or offer by PTC. PTC, the PTC logo, Product & Service Advantage, Creo, Elements/Direct, Windchill, Mathcad, Arbortext, PTC Integrity, Servigistics, ThingWorx, ProductCloud and all other PTC product names and logos are trademarks or registered trademarks of PTC and/or its subsidiaries in the United States and other countries. All other product or company names are property of their respective owners.

1483700